



DEKALB COUNTY
DEPARTMENT OF WATERSHED MANAGEMENT
F.O.G. Management Program
180 Sams Street • Decatur, GA 30030
404-687-7150 • fog@dekalbcountyga.gov



INTERCEPTOR SIZING SIGNATURE FORM

Food Service Establishment Name _____

Establishment Address _____
(City) (State) (Zip)

Compliance Inspector/Manager: _____

Zone _____ AP/Permit No. _____ Date _____
(if applicable)

The size of the Fats, Oils, and Greases Interceptor (Grease Trap) shall be:

_____ GPM or _____ Pounds inside installation only, location cannot be less than 15 feet from the last fixture tied on to the safe waste system (and/or fresh air system). **The grease trap must be made of corrosion resistant coated metal. Polymer (plastic) grease traps are not allowed.**

_____ Gallons Interceptor outside installation only, to have a baffle (scheduled 40) and P.V.C. T's installed, outlet T stub to 4" from manhole cover and 90° elbow P.V.C. pipe in baffle. **The interceptor must be made of precast concrete with one or more baffle walls depending on the size.**

Waiver Granted ☐ Yes ☐ No Comments _____



I fully understand the compliance guidelines on construction, sizing, and location of my FOG interceptor.

I fully understand that a licensed plumber must obtain a plumbing permit to install the interior grease trap or exterior interceptor.

I fully understand that prior to installation, I must contact the FOG Management Program at (404) 687-7150 to schedule a pre/post installation inspection with the assigned Inspector.

Name _____ Date _____